

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas/BOM,v
working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 1799; selected revisions: 2
description:

revision 2.89
date: 1995/03/14 08:51:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 2.88
date: 1995/03/14 08:49:15; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

=====

RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v
working file: atlas/baseplate/chipparms.m4
head: 1.21
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.21
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 1.11
date: 1995/03/15 17:55:04; author: geert; state: Exp; lines: +21 -23
More baseplate changes ... Added hemming cell s. Added
in real pads ..

Geert

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v
working file: atlas/baseplate/sharedbaseplate.sgen.m4
head: 1.41
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.41
keyword substitution: kv
total revisions: 41; selected revisions: 1
description:

revision 1.11
date: 1995/03/15 17:55:07; author: geert; state: Exp; lines: +8 -25
More baseplate changes ... Added hemming cell s. Added
in real pads ..

Geert

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.136
keyword substitution: kv
total revisions: 136;    selected revisions: 3
description:
```

```
-----
revision 1.23
date: 1995/03/17 17:47:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 09:47:25 PST 1995
```

```
-----
revision 1.22
date: 1995/03/15 01:03:51; author: chip; state: Exp; lines: +56 -55
periodic checkin of Tue Mar 14 17:03:44 PST 1995
```

```
-----
revision 1.21
date: 1995/03/14 17:59:49; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 14 09:59:44 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cabse1.ly,v
working file: atlas/compass/layouts/cabse1.ly
head: 4.19
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.19
keyword substitution: kv
total revisions: 19;    selected revisions: 3
description:
```

```
-----
revision 4.3
date: 1995/03/15 19:55:19; author: chip; state: Exp; lines: +595 -266
periodic checkin of Wed Mar 15 11:55:16 PST 1995
```

```
-----
revision 4.2
date: 1995/03/14 17:13:18; author: chip; state: Exp; lines: +1 -1
periodic checkin of Tue Mar 14 09:13:15 PST 1995
```

```
-----
revision 4.1
date: 1995/03/14 17:08:50; author: chip; state: Exp;
periodic checkin of Tue Mar 14 09:08:47 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cainvc.ly,v
working file: atlas/compass/layouts/cainvc.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
```

cc Mar 14-20 1995.log

description:

revision 4.2

date: 1995/03/15 01:03:55; author: chip; state: Exp; lines: +105 -95
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxldrv.ly,v

working file: atlas/compass/layouts/caxldrv.ly

head: 4.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 4.2

date: 1995/03/15 01:04:00; author: chip; state: Exp; lines: +22 -23
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm8t.ly,v

working file: atlas/compass/layouts/csm8t.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 4.2

date: 1995/03/17 16:40:27; author: chip; state: Exp; lines: +83 -78
periodic checkin of Fri Mar 17 08:40:24 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mos_site_15x1.ly,v

working file: atlas/compass/layouts/mos_site_15x1.ly

head: 4.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 4.1

date: 1995/03/17 21:15:56; author: chip; state: Exp;
periodic checkin of Fri Mar 17 13:15:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_cnt.ly,v

working file: atlas/compass/layouts/pad_cnt.ly

head: 4.1

branch:

locks: strict

access list:

cc Mar 14-20 1995.log

symbolic names:

b4_rich: 4.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 4.1

date: 1995/03/15 01:04:02; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_fillet.ly,v

working file: atlas/compass/layouts/pad_fillet.ly

head: 4.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 4.1

date: 1995/03/15 01:04:05; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad_guardring.ly,v

working file: atlas/compass/layouts/pad_guardring.ly

head: 4.7

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 4

description:

revision 4.4

date: 1995/03/17 23:33:50; author: chip; state: Exp; lines: +4 -4

periodic checkin of Fri Mar 17 15:33:47 PST 1995

revision 4.3

date: 1995/03/17 23:22:27; author: chip; state: Exp; lines: +11 -11

periodic checkin of Fri Mar 17 15:22:25 PST 1995

revision 4.2

date: 1995/03/17 17:47:31; author: chip; state: Exp; lines: +3 -3

periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 4.1

date: 1995/03/15 01:04:07; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad_guardringcrn.ly,v

working file: atlas/compass/layouts/pad_guardringcrn.ly

head: 4.2

branch:

locks: strict

access list:

symbolic names:

cc Mar 14-20 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 17:47:34; author: chip; state: Exp; lines: +20 -7
periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 4.1
date: 1995/03/15 01:04:09; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_hem.ly,v
working file: atlas/compass/layouts/pad_hem.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:11; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad_hem2.ly,v
working file: atlas/compass/layouts/pad_hem2.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 18:16:26; author: chip; state: Exp; lines: +4 -10
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.1
date: 1995/03/15 01:04:13; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_hem_subcell.ly,v
working file: atlas/compass/layouts/pad_hem_subcell.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 4.2

cc Mar 14-20 1995.log
date: 1995/03/17 18:16:28; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.1
date: 1995/03/15 01:04:15; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_n_static.ly,v
working file: atlas/compass/layouts/pad_n_static.ly
head: 4.15
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.15
keyword substitution: kv
total revisions: 15; selected revisions: 4
description:

revision 4.4
date: 1995/03/18 00:03:18; author: chip; state: Exp; lines: +8 -8
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3
date: 1995/03/17 23:20:29; author: chip; state: Exp; lines: +4 -2
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2
date: 1995/03/16 01:41:09; author: chip; state: Exp; lines: +5 -7
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:17; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_n_subcell.ly,v
working file: atlas/compass/layouts/pad_n_subcell.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 5
description:

revision 4.5
date: 1995/03/18 00:53:29; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 17 16:53:26 PST 1995

revision 4.4
date: 1995/03/18 00:03:20; author: chip; state: Exp; lines: +49 -49
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3
date: 1995/03/17 23:20:30; author: chip; state: Exp; lines: +69 -6
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2
date: 1995/03/16 01:41:10; author: chip; state: Exp; lines: +2 -3

cc Mar 14-20 1995.log
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:19; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_p_static.ly,v
working file: atlas/compass/layouts/pad_p_static.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 3
description:

revision 4.3
date: 1995/03/18 00:03:22; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.2
date: 1995/03/16 01:41:12; author: chip; state: Exp; lines: +5 -7
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:21; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_p_subcell.ly,v
working file: atlas/compass/layouts/pad_p_subcell.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 4
description:

revision 4.4
date: 1995/03/18 00:03:23; author: chip; state: Exp; lines: +71 -17
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3
date: 1995/03/17 23:20:32; author: chip; state: Exp; lines: +20 -9
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2
date: 1995/03/16 01:41:13; author: chip; state: Exp; lines: +2 -3
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:23; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_via1.ly,v
working file: atlas/compass/layouts/pad_via1.ly

cc Mar 14-20 1995.log

head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:28; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_via2.ly,v
working file: atlas/compass/layouts/pad_via2.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:30; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padcrn.ly,v
working file: atlas/compass/layouts/padcrn.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 23:20:33; author: chip; state: Exp; lines: +5 -5
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.1
date: 1995/03/15 18:37:48; author: chip; state: Exp;
periodic checkin of Wed Mar 15 10:37:46 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v
working file: atlas/compass/layouts/padhib.ly
head: 4.34
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.34
keyword substitution: kv
total revisions: 34; selected revisions: 3

cc Mar 14-20 1995.log

description:

revision 4.7

date: 1995/03/18 00:39:59; author: chip; state: Exp; lines: +21 -19
periodic checkin of Fri Mar 17 16:39:53 PST 1995

revision 4.6

date: 1995/03/15 17:58:12; author: chip; state: Exp; lines: +18 -26
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.5

date: 1995/03/15 01:04:31; author: chip; state: Exp; lines: +69 -74
periodic checkin of Tue Mar 14 17:03:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3io.ly,v

working file: atlas/compass/layouts/padm3io.ly

head: 4.20

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.20

keyword substitution: kv

total revisions: 20; selected revisions: 3

description:

revision 4.4

date: 1995/03/18 00:40:01; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 16:39:53 PST 1995

revision 4.3

date: 1995/03/17 18:16:30; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.2

date: 1995/03/16 01:41:15; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 15 17:41:05 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padt11.ly,v

working file: atlas/compass/layouts/padt11.ly

head: 4.23

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.23

keyword substitution: kv

total revisions: 23; selected revisions: 5

description:

revision 4.6

date: 1995/03/17 23:20:34; author: chip; state: Exp; lines: +14 -13
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.5

date: 1995/03/17 18:16:31; author: chip; state: Exp; lines: +13 -12
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.4

date: 1995/03/16 01:41:16; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Mar 15 17:41:05 PST 1995

cc Mar 14-20 1995.log

revision 4.3
date: 1995/03/15 17:58:14; author: chip; state: Exp; lines: +18 -26
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.2
date: 1995/03/15 01:04:34; author: chip; state: Exp; lines: +69 -74
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.38
keyword substitution: kv
total revisions: 38; selected revisions: 2
description:

revision 2.14
date: 1995/03/15 17:58:15; author: chip; state: Exp; lines: +16 -24
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 2.13
date: 1995/03/15 01:04:35; author: chip; state: Exp; lines: +73 -76
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v
working file: atlas/compass/layouts/padvss.ly
head: 4.31
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.31
keyword substitution: kv
total revisions: 31; selected revisions: 2
description:

revision 4.7
date: 1995/03/15 17:58:17; author: chip; state: Exp; lines: +16 -24
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.6
date: 1995/03/15 01:04:37; author: chip; state: Exp; lines: +66 -71
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_power.ly,v
working file: atlas/compass/layouts/uh_power.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

cc Mar 14-20 1995.log

revision 2.3
date: 1995/03/15 01:04:38; author: chip; state: Exp; lines: +136 -125
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
Working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 46
description:

revision 1.446
date: 1995/03/18 01:23:45; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 17:23:38 PST 1995

revision 1.445
date: 1995/03/18 01:07:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 17:07:14 PST 1995

revision 1.444
date: 1995/03/18 00:53:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 16:53:26 PST 1995

revision 1.443
date: 1995/03/18 00:42:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:42:29 PST 1995

revision 1.442
date: 1995/03/18 00:40:06; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 17 16:39:53 PST 1995

revision 1.441
date: 1995/03/18 00:17:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:17:01 PST 1995

revision 1.440
date: 1995/03/18 00:12:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:11:58 PST 1995

revision 1.439
date: 1995/03/18 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:06:14 PST 1995

revision 1.438
date: 1995/03/18 00:03:27; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 1.437
date: 1995/03/17 23:41:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 15:40:58 PST 1995

revision 1.436
date: 1995/03/17 23:35:50; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 15:35:46 PST 1995

revision 1.435

```

cc Mar 14-20 1995.log
date: 1995/03/17 23:33:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:33:47 PST 1995
-----
revision 1.434
date: 1995/03/17 23:32:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 15:31:56 PST 1995
-----
revision 1.433
date: 1995/03/17 23:22:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:22:25 PST 1995
-----
revision 1.432
date: 1995/03/17 23:20:37; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 17 15:20:24 PST 1995
-----
revision 1.431
date: 1995/03/17 22:59:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:59:04 PST 1995
-----
revision 1.430
date: 1995/03/17 22:43:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:43:54 PST 1995
-----
revision 1.429
date: 1995/03/17 22:38:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:38:34 PST 1995
-----
revision 1.428
date: 1995/03/17 22:35:15; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:35:11 PST 1995
-----
revision 1.427
date: 1995/03/17 21:15:59; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 13:15:54 PST 1995
-----
revision 1.426
date: 1995/03/17 18:16:35; author: chip; state: Exp; lines: +9 -0
periodic checkin of Fri Mar 17 10:16:22 PST 1995
-----
revision 1.425
date: 1995/03/17 17:54:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:54:16 PST 1995
-----
revision 1.424
date: 1995/03/17 17:52:06; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 09:52:02 PST 1995
-----
revision 1.423
date: 1995/03/17 17:49:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:49:48 PST 1995
-----
revision 1.422
date: 1995/03/17 17:47:38; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 17 09:47:25 PST 1995
-----
revision 1.421
date: 1995/03/17 17:42:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:42:30 PST 1995
-----
revision 1.420
date: 1995/03/17 17:39:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:39:50 PST 1995
-----

```

cc Mar 14-20 1995.log

revision 1.419
date: 1995/03/17 16:42:20; author: chip; state: Exp; lines: +0 -3
periodic checkin of Fri Mar 17 08:42:15 PST 1995

revision 1.418
date: 1995/03/17 16:40:31; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 08:40:24 PST 1995

revision 1.417
date: 1995/03/16 18:00:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 16 10:00:06 PST 1995

revision 1.416
date: 1995/03/16 01:41:19; author: chip; state: Exp; lines: +12 -0
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 1.415
date: 1995/03/16 01:37:46; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:37:42 PST 1995

revision 1.414
date: 1995/03/16 01:34:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:34:16 PST 1995

revision 1.413
date: 1995/03/16 01:32:36; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 15 17:32:32 PST 1995

revision 1.412
date: 1995/03/16 01:28:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:28:49 PST 1995

revision 1.411
date: 1995/03/15 19:55:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 11:55:16 PST 1995

revision 1.410
date: 1995/03/15 18:37:52; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Mar 15 10:37:46 PST 1995

revision 1.409
date: 1995/03/15 17:58:20; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 1.408
date: 1995/03/15 17:55:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:55:53 PST 1995

revision 1.407
date: 1995/03/15 17:53:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 09:53:33 PST 1995

revision 1.406
date: 1995/03/15 17:27:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:27:23 PST 1995

revision 1.405
date: 1995/03/15 01:04:41; author: chip; state: Exp; lines: +131 -0
periodic checkin of Tue Mar 14 17:03:44 PST 1995

revision 1.404
date: 1995/03/14 17:59:53; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 14 09:59:44 PST 1995

cc Mar 14-20 1995.log

revision 1.403
date: 1995/03/14 17:20:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 14 09:20:09 PST 1995

revision 1.402
date: 1995/03/14 17:13:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Mar 14 09:13:15 PST 1995

revision 1.401
date: 1995/03/14 17:08:54; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 14 09:08:47 PST 1995
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v
Working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 1
description:

revision 5.4
date: 1995/03/14 08:49:06; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
Working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 2
description:
releasebom adding BOM

revision 13.0
date: 1995/03/14 08:48:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

revision 12.1
date: 1995/03/14 08:48:46; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlag/BOM,v
Working file: atlas/ged/xv/xvdlag/BOM
head: 6.0
branch:
locks: strict
access list:

cc Mar 14-20 1995.log

symbolic names:

b4_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/14 08:47:35; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

revision 1.1

date: 1995/03/14 08:47:28; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.1.1,v

working file: atlas/ged/xv/xvdlq/body.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.1

date: 1995/03/14 08:20:39; author: tom; state: Exp;

add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.2.1,v

working file: atlas/ged/xv/xvdlq/body.2.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.1

date: 1995/03/14 08:20:42; author: tom; state: Exp;

add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/spice.1.1,v

working file: atlas/ged/xv/xvdlq/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1
date: 1995/03/14 08:20:45; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/spice_cn.1.1,v
Working file: atlas/ged/xv/xvdlq/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:47; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/BOM,v
Working file: atlas/ged/xv/xvdlbq/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 3.0
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/14 08:47:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

revision 1.1
date: 1995/03/14 08:47:49; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/body.1.1,v
Working file: atlas/ged/xv/xvdlbq/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:51; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/body.2.1,v
working file: atlas/ged/xv/xvdlbq/body.2.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:54; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/spice.1.1,v
working file: atlas/ged/xv/xvdlbq/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:56; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/spice_cn.1.1,v
working file: atlas/ged/xv/xvdlbq/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:59; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas/leafgen/BOM,v
working file: atlas/leafgen/BOM
head: 45.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 45.0
keyword substitution: kv
total revisions: 129; selected revisions: 2
description:

cc Mar 14-20 1995.log

releasebom adding BOM

revision 8.0

date: 1995/03/14 08:50:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 7.2

date: 1995/03/14 08:50:49; author: tom; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v

working file: atlas/leafgen/makeDepend

head: 3.15

branch:

locks: strict

access list:

symbolic names:

b4_rich: 3.15

keyword substitution: kv

total revisions: 15; selected revisions: 1

description:

revision 3.7

date: 1995/03/14 08:44:00; author: tom; state: Exp; lines: +4 -4

change to fit new "xv<fanin><function><polarity>" name format

=====

RCS file: /p/cvsroot/atlas/leafgen/doc/BOM,v

working file: atlas/leafgen/doc/BOM

head: 13.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 13.0

keyword substitution: kv

total revisions: 28; selected revisions: 2

description:

releasebom adding BOM

revision 7.0

date: 1995/03/14 08:50:26; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 6.2

date: 1995/03/14 08:50:16; author: tom; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/BOM,v

working file: atlas/leafgen/doc/xgraph/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 2

cc Mar 14-20 1995.log

description:
releasebom adding BOM

revision 4.0
date: 1995/03/14 08:49:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 3.1
date: 1995/03/14 08:49:47; author: tom; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418; selected revisions: 2
description:

revision 2.89
date: 1995/03/14 08:51:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 2.88
date: 1995/03/14 08:49:15; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format
=====

RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v
working file: atlas2/baseplate/chipparms.m4
head: 200.13
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.13
keyword substitution: kv
total revisions: 35; selected revisions: 1
description:

revision 1.11
date: 1995/03/15 17:55:04; author: geert; state: Exp; lines: +21 -23
More baseplate changes ... Added hemming cell s. Added
in real pads ..

Geert
=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v
working file: atlas2/baseplate/sharedbaseplate.sgen.m4
head: 200.0
branch:

cc Mar 14-20 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 42; selected revisions: 1
description:

revision 1.11
date: 1995/03/15 17:55:07; author: geert; state: Exp; lines: +8 -25
More baseplate changes ... Added hemming cell s. Added
in real pads ..

Geert

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133; selected revisions: 3
description:

revision 1.23
date: 1995/03/17 17:47:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 1.22
date: 1995/03/15 01:03:51; author: chip; state: Exp; lines: +56 -55
periodic checkin of Tue Mar 14 17:03:44 PST 1995

revision 1.21
date: 1995/03/14 17:59:49; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 14 09:59:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cabsel.ly,v
working file: atlas2/compass/layouts/cabsel.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 20; selected revisions: 3
description:

revision 4.3
date: 1995/03/15 19:55:19; author: chip; state: Exp; lines: +595 -266
periodic checkin of Wed Mar 15 11:55:16 PST 1995

revision 4.2
date: 1995/03/14 17:13:18; author: chip; state: Exp; lines: +1 -1
periodic checkin of Tue Mar 14 09:13:15 PST 1995

revision 4.1
date: 1995/03/14 17:08:50; author: chip; state: Exp;
periodic checkin of Tue Mar 14 09:08:47 PST 1995

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cainvc.ly,v

working file: atlas2/compass/layouts/cainvc.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

revision 4.2

date: 1995/03/15 01:03:55; author: chip; state: Exp; lines: +105 -95

periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxldrv.ly,v

working file: atlas2/compass/layouts/caxldrv.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 4.2

date: 1995/03/15 01:04:00; author: chip; state: Exp; lines: +22 -23

periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm8t.ly,v

working file: atlas2/compass/layouts/csm8t.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 4.2

date: 1995/03/17 16:40:27; author: chip; state: Exp; lines: +83 -78

periodic checkin of Fri Mar 17 08:40:24 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mos_site_15x1.ly,v

working file: atlas2/compass/layouts/mos_site_15x1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 4.1

date: 1995/03/17 21:15:56; author: chip; state: Exp;

periodic checkin of Fri Mar 17 13:15:54 PST 1995
=====

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_cnt.ly,v
working file: atlas2/compass/layouts/pad_cnt.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:02; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_fillet.ly,v
working file: atlas2/compass/layouts/pad_fillet.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:05; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_guardring.ly,v
working file: atlas2/compass/layouts/pad_guardring.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 4
description:

revision 4.4
date: 1995/03/17 23:33:50; author: chip; state: Exp; lines: +4 -4
periodic checkin of Fri Mar 17 15:33:47 PST 1995

revision 4.3
date: 1995/03/17 23:22:27; author: chip; state: Exp; lines: +11 -11
periodic checkin of Fri Mar 17 15:22:25 PST 1995

revision 4.2
date: 1995/03/17 17:47:31; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 4.1
date: 1995/03/15 01:04:07; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_guardringcrn.ly,v
working file: atlas2/compass/layouts/pad_guardringcrn.ly

cc Mar 14-20 1995.log

head: 4.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 17:47:34; author: chip; state: Exp; lines: +20 -7
periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 4.1
date: 1995/03/15 01:04:09; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem.ly,v
working file: atlas2/compass/layouts/pad_hem.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:11; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem2.ly,v
working file: atlas2/compass/layouts/pad_hem2.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 18:16:26; author: chip; state: Exp; lines: +4 -10
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.1
date: 1995/03/15 01:04:13; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem_subcell.ly,v
working file: atlas2/compass/layouts/pad_hem_subcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2

cc Mar 14-20 1995.log

description:

revision 4.2

date: 1995/03/17 18:16:28; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.1

date: 1995/03/15 01:04:15; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_n_static.ly,v

working file: atlas2/compass/layouts/pad_n_static.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 16; selected revisions: 4

description:

revision 4.4

date: 1995/03/18 00:03:18; author: chip; state: Exp; lines: +8 -8
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3

date: 1995/03/17 23:20:29; author: chip; state: Exp; lines: +4 -2
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2

date: 1995/03/16 01:41:09; author: chip; state: Exp; lines: +5 -7
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1

date: 1995/03/15 01:04:17; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_n_subcell.ly,v

working file: atlas2/compass/layouts/pad_n_subcell.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 12; selected revisions: 5

description:

revision 4.5

date: 1995/03/18 00:53:29; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 17 16:53:26 PST 1995

revision 4.4

date: 1995/03/18 00:03:20; author: chip; state: Exp; lines: +49 -49
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3

date: 1995/03/17 23:20:30; author: chip; state: Exp; lines: +69 -6
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2

cc Mar 14-20 1995.log
date: 1995/03/16 01:41:10; author: chip; state: Exp; lines: +2 -3
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:19; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_p_static.ly,v
working file: atlas2/compass/layouts/pad_p_static.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 3
description:

revision 4.3
date: 1995/03/18 00:03:22; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.2
date: 1995/03/16 01:41:12; author: chip; state: Exp; lines: +5 -7
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:21; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_p_subcell.ly,v
working file: atlas2/compass/layouts/pad_p_subcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 4
description:

revision 4.4
date: 1995/03/18 00:03:23; author: chip; state: Exp; lines: +71 -17
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 4.3
date: 1995/03/17 23:20:32; author: chip; state: Exp; lines: +20 -9
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.2
date: 1995/03/16 01:41:13; author: chip; state: Exp; lines: +2 -3
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.1
date: 1995/03/15 01:04:23; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_via1.ly,v
working file: atlas2/compass/layouts/pad_via1.ly
head: 200.0

cc Mar 14-20 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:28; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_via2.ly,v
working file: atlas2/compass/layouts/pad_via2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/15 01:04:30; author: chip; state: Exp;
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padcrn.ly,v
working file: atlas2/compass/layouts/padcrn.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:

revision 4.2
date: 1995/03/17 23:20:33; author: chip; state: Exp; lines: +5 -5
periodic checkin of Fri Mar 17 15:20:24 PST 1995
=====

revision 4.1
date: 1995/03/15 18:37:48; author: chip; state: Exp;
periodic checkin of Wed Mar 15 10:37:46 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v
working file: atlas2/compass/layouts/padhib.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 35; selected revisions: 3
description:

revision 4.7
date: 1995/03/18 00:39:59; author: chip; state: Exp; lines: +21 -19
periodic checkin of Fri Mar 17 16:39:53 PST 1995

cc Mar 14-20 1995.log

revision 4.6
date: 1995/03/15 17:58:12; author: chip; state: Exp; lines: +18 -26
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.5
date: 1995/03/15 01:04:31; author: chip; state: Exp; lines: +69 -74
periodic checkin of Tue Mar 14 17:03:44 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3io.ly,v
working file: atlas2/compass/layouts/padm3io.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 3
description:

revision 4.4
date: 1995/03/18 00:40:01; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 16:39:53 PST 1995

revision 4.3
date: 1995/03/17 18:16:30; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.2
date: 1995/03/16 01:41:15; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 15 17:41:05 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padttl.ly,v
working file: atlas2/compass/layouts/padttl.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 24; selected revisions: 5
description:

revision 4.6
date: 1995/03/17 23:20:34; author: chip; state: Exp; lines: +14 -13
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 4.5
date: 1995/03/17 18:16:31; author: chip; state: Exp; lines: +13 -12
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 4.4
date: 1995/03/16 01:41:16; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Mar 15 17:41:05 PST 1995

revision 4.3
date: 1995/03/15 17:58:14; author: chip; state: Exp; lines: +18 -26
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.2
date: 1995/03/15 01:04:34; author: chip; state: Exp; lines: +69 -74

cc Mar 14-20 1995.log
periodic checkin of Tue Mar 14 17:03:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39; selected revisions: 2
description:

revision 2.14
date: 1995/03/15 17:58:15; author: chip; state: Exp; lines: +16 -24
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 2.13
date: 1995/03/15 01:04:35; author: chip; state: Exp; lines: +73 -76
periodic checkin of Tue Mar 14 17:03:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v
working file: atlas2/compass/layouts/padvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32; selected revisions: 2
description:

revision 4.7
date: 1995/03/15 17:58:17; author: chip; state: Exp; lines: +16 -24
periodic checkin of Wed Mar 15 09:58:09 PST 1995

revision 4.6
date: 1995/03/15 01:04:37; author: chip; state: Exp; lines: +66 -71
periodic checkin of Tue Mar 14 17:03:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_power.ly,v
working file: atlas2/compass/layouts/uh_power.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 2.3
date: 1995/03/15 01:04:38; author: chip; state: Exp; lines: +136 -125
periodic checkin of Tue Mar 14 17:03:44 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3575; selected revisions: 46

description:

revision 1.446

date: 1995/03/18 01:23:45; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 17:23:38 PST 1995

revision 1.445

date: 1995/03/18 01:07:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 17:07:14 PST 1995

revision 1.444

date: 1995/03/18 00:53:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 16:53:26 PST 1995

revision 1.443

date: 1995/03/18 00:42:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:42:29 PST 1995

revision 1.442

date: 1995/03/18 00:40:06; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 17 16:39:53 PST 1995

revision 1.441

date: 1995/03/18 00:17:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:17:01 PST 1995

revision 1.440

date: 1995/03/18 00:12:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:11:58 PST 1995

revision 1.439

date: 1995/03/18 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 16:06:14 PST 1995

revision 1.438

date: 1995/03/18 00:03:27; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 17 16:03:14 PST 1995

revision 1.437

date: 1995/03/17 23:41:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 15:40:58 PST 1995

revision 1.436

date: 1995/03/17 23:35:50; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 15:35:46 PST 1995

revision 1.435

date: 1995/03/17 23:33:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:33:47 PST 1995

revision 1.434

date: 1995/03/17 23:32:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 15:31:56 PST 1995

revision 1.433

date: 1995/03/17 23:22:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:22:25 PST 1995

cc Mar 14-20 1995.log

revision 1.432
date: 1995/03/17 23:20:37; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 17 15:20:24 PST 1995

revision 1.431
date: 1995/03/17 22:59:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:59:04 PST 1995

revision 1.430
date: 1995/03/17 22:43:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:43:54 PST 1995

revision 1.429
date: 1995/03/17 22:38:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:38:34 PST 1995

revision 1.428
date: 1995/03/17 22:35:15; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:35:11 PST 1995

revision 1.427
date: 1995/03/17 21:15:59; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 13:15:54 PST 1995

revision 1.426
date: 1995/03/17 18:16:35; author: chip; state: Exp; lines: +9 -0
periodic checkin of Fri Mar 17 10:16:22 PST 1995

revision 1.425
date: 1995/03/17 17:54:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:54:16 PST 1995

revision 1.424
date: 1995/03/17 17:52:06; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 09:52:02 PST 1995

revision 1.423
date: 1995/03/17 17:49:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:49:48 PST 1995

revision 1.422
date: 1995/03/17 17:47:38; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 17 09:47:25 PST 1995

revision 1.421
date: 1995/03/17 17:42:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:42:30 PST 1995

revision 1.420
date: 1995/03/17 17:39:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:39:50 PST 1995

revision 1.419
date: 1995/03/17 16:42:20; author: chip; state: Exp; lines: +0 -3
periodic checkin of Fri Mar 17 08:42:15 PST 1995

revision 1.418
date: 1995/03/17 16:40:31; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 17 08:40:24 PST 1995

revision 1.417
date: 1995/03/16 18:00:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 16 10:00:06 PST 1995

cc Mar 14-20 1995.log

```
-----
revision 1.416
date: 1995/03/16 01:41:19; author: chip; state: Exp; lines: +12 -0
periodic checkin of Wed Mar 15 17:41:05 PST 1995
-----
revision 1.415
date: 1995/03/16 01:37:46; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:37:42 PST 1995
-----
revision 1.414
date: 1995/03/16 01:34:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:34:16 PST 1995
-----
revision 1.413
date: 1995/03/16 01:32:36; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 15 17:32:32 PST 1995
-----
revision 1.412
date: 1995/03/16 01:28:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:28:49 PST 1995
-----
revision 1.411
date: 1995/03/15 19:55:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 11:55:16 PST 1995
-----
revision 1.410
date: 1995/03/15 18:37:52; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Mar 15 10:37:46 PST 1995
-----
revision 1.409
date: 1995/03/15 17:58:20; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 15 09:58:09 PST 1995
-----
revision 1.408
date: 1995/03/15 17:55:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:55:53 PST 1995
-----
revision 1.407
date: 1995/03/15 17:53:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 09:53:33 PST 1995
-----
revision 1.406
date: 1995/03/15 17:27:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:27:23 PST 1995
-----
revision 1.405
date: 1995/03/15 01:04:41; author: chip; state: Exp; lines: +131 -0
periodic checkin of Tue Mar 14 17:03:44 PST 1995
-----
revision 1.404
date: 1995/03/14 17:59:53; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 14 09:59:44 PST 1995
-----
revision 1.403
date: 1995/03/14 17:20:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 14 09:20:09 PST 1995
-----
revision 1.402
date: 1995/03/14 17:13:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Mar 14 09:13:15 PST 1995
-----
revision 1.401
date: 1995/03/14 17:08:54; author: chip; state: Exp; lines: +2 -0
```

cc Mar 14-20 1995.log
periodic checkin of Tue Mar 14 09:08:47 PST 1995

=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 207.57
keyword substitution: kv
total revisions: 1847; selected revisions: 1
description:

revision 5.4
date: 1995/03/14 08:49:06; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v
working file: atlas2/ged/xv/BOM
head: 212.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 212.0
keyword substitution: kv
total revisions: 348; selected revisions: 2
description:
releasebom adding BOM

revision 13.0
date: 1995/03/14 08:48:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

revision 12.1
date: 1995/03/14 08:48:46; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlag/body.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlag/body.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.3
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:39; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names

=====


```

cc Mar 14-20 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/body.2.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:42; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.3
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:45; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file:
/p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice_cn.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice_cn.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.3
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:47; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/BOM,v
working file: atlas2/ged/xv/xvdlq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 2
description:
releasebom adding BOM

```

cc Mar 14-20 1995.log

revision 2.0
date: 1995/03/14 08:47:35; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

revision 1.1
date: 1995/03/14 08:47:28; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdlq/body.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:39; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdlq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:42; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdlq/spice.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:45; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdlq/spice_cn.1.1
head: 200.3

cc Mar 14-20 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:47; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/BOM,v
working file: atlas2/ged/xv/xvdlbq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/14 08:47:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

```
change more schematic names to "xv<fanin><function><polarity>" format
-----
```

```
revision 1.1
date: 1995/03/14 08:47:49; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdlbq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/14 08:20:51; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdlbq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

cc Mar 14-20 1995.log

revision 1.1
date: 1995/03/14 08:20:54; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvdlbq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:56; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvdlbq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/14 08:20:59; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/leafgen/BOM,v
working file: atlas2/leafgen/BOM
head: 238.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 238.0
keyword substitution: kv
total revisions: 235; selected revisions: 2
description:
releasebom adding BOM

revision 8.0
date: 1995/03/14 08:50:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 7.2
date: 1995/03/14 08:50:49; author: tom; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
working file: atlas2/leafgen/makeDepend

cc Mar 14-20 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 3.7
date: 1995/03/14 08:44:00; author: tom; state: Exp; lines: +4 -4
change to fit new "xv<fanin><function><polarity>" name format
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/BOM,v
working file: atlas2/leafgen/doc/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 201.0
keyword substitution: kv
total revisions: 31; selected revisions: 2
description:
releasebom adding BOM

revision 7.0
date: 1995/03/14 08:50:26; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 6.2
date: 1995/03/14 08:50:16; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/BOM,v
working file: atlas2/leafgen/doc/xgraph/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 4.0
date: 1995/03/14 08:49:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

revision 3.1
date: 1995/03/14 08:49:47; author: tom; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/c_tests/nullstone/run_nullstone,v
working file: c_tests/nullstone/run_nullstone

cc Mar 14-20 1995.log

head: 1.20
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.20
keyword substitution: kv
total revisions: 20; selected revisions: 1
description:
initial revision

revision 1.5
date: 1995/03/17 23:23:15; author: claseman; state: Exp; lines: +7 -2
add extent of run variable
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/run_nullstone,v
working file: c_tests/nullstone_3_8_4/run_nullstone
head: 1.19
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19; selected revisions: 1
description:
initial revision

revision 1.5
date: 1995/03/17 23:23:15; author: claseman; state: Exp; lines: +7 -2
add extent of run variable
=====

RCS file: /p/cvsroot/calliope/verify/standalone/ci/ci_drive.v,v
working file: calliope/verify/standalone/ci/ci_drive.v
head: 2.18
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 1
description:

revision 2.18
date: 1995/03/16 22:22:40; author: brian; state: Exp; lines: +25 -4
Some minor changes for new canceler testing.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/ci/ciplot.c,v
working file: calliope/verify/standalone/ci/ciplot.c
head: 12.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 12.3
date: 1995/03/16 22:22:43; author: brian; state: Exp; lines: +2 -0
Some minor changes for new canceler testing.

=====

cc Mar 14-20 1995.1og

=====